

DEVICES

SOFTWARE MEASURING COMPLEX SKU-0 6 FOR CONTINUOUS MONITORING OF PULVERIZED COAL BURNING

The measuring complex is used for monitoring the carbon contents in coal ash in pulverized coal in Heat Power Stations (HPS). **Fuel economy is till 5-7%**

Express device for monitoring carbon content PKUP-06




ENERGY RESOURCES QUALITY CONTROL

Automatic quality control device of oil fuel (colourness according to International Scale ASTM, International standards, D 1500, ISO 2049, GOST 20284) CU-TEP TM

The devices are Implemented at UkrTatnafta, enterprise Ariana and others.

2a, Zhelyabova str., Kyiv, Ukraine,
tel .: (044) 456-92-82 453-28-78;
e-mail: zaoktb@ya.ru



QUALITY CONTROL OF BIODIESEL DEVICE

- Automatic quality control device (colourness in accordance with ISO 15305, GOST 20284, GOST 28582) for biodiesel fuel : CU TEP-RM with the International Scale - Lovibond Scale.
- The devices are Implemented at 12 oil extraction plants in Ukraine.



THE DEVICE OF QUALITY CONTROL OF POWDERS CU TEP-B INCLUDING THE WHITENESS OF FLOUR.



- The device of quality control of powders CU TEP-B including the whiteness of flour is desined and produced.
- The devices are implemented at 23 enterprises in Ukraine.

2a, Zhelyabova str., Kyiv, Ukraine,
tel .: (044) 456-92-82 453-28-78;
e-mail: zaoktb@ya.ru